Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5172	((359/13) or (359/15) or (359/28) or (359/449) or (359/451) or (359/462) or (359/466) or (359/599) or (353/7) or (353/94) or (353/98)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/06 12:18
L2	143	L1 and ((imag\$4 or project\$4) with (display\$4 or system\$2)) and (diffus\$ with (hologra\$ or plate or element)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:18
L3	17	L1 and (diffus\$ near4 hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/08/06 12:47
L4	31	L1 and diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR;	OR	ON	2007/08/06 12:18
L5	237	L1 and diffus\$ and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4))	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2007/08/06 12:19
			USOCR; EPO; JPO; DERWENT ; IBM_TDB			
L6	15	L1 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4 and (viewer\$2 or observer\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/08/06 12:19
L7	16	L1 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4	US-PGPUB: US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:19
			IBW_LDB			
L8	17	L1 and (diffus\$ near4 (hologra\$ or plat\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye.near3 piec\$2)) near4 optic\$4) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:19
			IBM_TOB			
L9	20	L1 and (diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:19
	,		IBM_TDB			

8/6/2007 1:20:22 PM Page 1

L10	30	L1 and diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:19
L11	66	L1 and diffus\$ and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and project\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:19
L12	42	(diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and (project\$4 same display\$4) and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:20
L13	144	diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4 and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:20
L14	13	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and pupil\$2 and (project\$4 or view\$4 or display\$4)	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:20
L15	16	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and (project\$4 or view\$4 or display\$4)	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:21
L16	211	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (project\$4 or view\$4 or display\$4)	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:21
L17	3	L1 and (diffus\$ with hologra\$ with (transmit\$4 or transmis\$4)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)))	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:54
L18	3	L1 and (diffus\$ with hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)))	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:55

L19	3	L1 and (diffus\$ with hologra\$) and (concav\$ with (eyepiec\$2 or	US-PGPUB;	OR	ON	2007/08/06
		eye?piec\$2 or (eye near3 piec\$2)))	USPAT; USOCR; EPO; JPO; DERWENT			12:56
·			IBW_LOB	:		
L20	5	(diffus\$ with hologra\$ with (transmit\$4 or transmis\$4)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:57
			IBM_TDB			
L21	6	(diffus\$ with hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:55
			IBM_TDB			
L22	7	(diffus\$ with hologra\$) and (concav\$ with (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06
			IBW_LDB			
L23	6	(diffus\$ with hologra\$ with (transmit\$4 or transmis\$4)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4)) and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and (exit\$3 near4 pupil\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 12:59
			; IBM_TDB			
L24	24	(diffus\$ with hologra\$ with (transmit\$4 or transmis\$4)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4)) and (exit\$3 near4 pupil\$2)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 13:07
			: IBM_TDB			
L25	40	(diffus\$ with hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4)) and (exit\$3 near4 pupil\$2) and (imag\$4 near5 (display\$4 or project\$4 or view\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 13:15
			; IBM_TDB			
L26	5	((diffus\$ with hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4)) and (exit\$3 near4 pupil\$2)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/06 13:15
			; IBM_TDB			
51	113	togino.in. and projection\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 13:55
			IBW_TDB			

52	4536	((359/13) or (359/15) or (359/28) or (359/449) or (359/451) or (359/462) or (359/466) or (359/599) or (353/7) or (353/94) or (353/98)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/08 15:45
53	115	S2 and ((imag\$4 or project\$4) with (display\$4 or system\$2)) and (diffus\$ with (hologra\$ or plate or element)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 18:54
			IBW_LDB			
54	23	("20020075452" "3748015" "4124798" "4257672" "4331390" "4623223" "4799763" "4854688" "5206499" "5255028" "5319968" "5572229" "5671992" "5757544" "5838416" "5908300" "5940564" "6034717" "6292305" "6416181" "6511182" "6522474" "6550918").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/08 18:08
55	9	S2 and (diffus\$ near4 hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 18:58
		·	IBM_TDB			
56	20	S2 and diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 19:26
			; IBM_TDB			
S 7	192	S2 and diffus\$ and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 20:13
			; IBM_TDB			
58	16	(diffus\$ near4 hologra\$) and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4) near4 fresnel) and project\$4	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/08 20:23
			: IBM_TDB			
S9	136	(diffus\$ near4 hologra\$) and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USPACR; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 12:23
			; IBM_TDB			
510	. 1	("20040240088").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 11:12
S11	34	(diffus\$ near4 hologra\$ near4 transmi\$6) and ((concav\$ or curv\$6) near4 (mirror\$2 or reflect\$4 or deflect\$4)) and (imag\$4 or display\$4 or project\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 12:46
			;	!		

512	166	(diffus\$ near4 hologra\$ near4 transmi\$6) and ((mirror\$2 or reflect\$4 or deflect\$4)) and (imag\$4 or display\$4 or project\$4)	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ОИ	2006/03/09 14:34
S13	507	(diffus\$ near4 transmi\$6) and ((mirror\$2 or reflect\$4 or deflect\$4) near5 concav\$) and (imag\$4 or display\$4 or project\$4)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 14:37
S14	22	(diffus\$ near4 transmi\$6) and ((mirror\$2 or reflect\$4 or deflect\$4) near5 concav\$ near5 fresnel) and (imag\$4 or display\$4 or project\$4)	IBM_TOB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/03/09 14:38
S15	3	("20030137731" "5609939" "5790284").PN.	IBM_TDB US-PGPUB; USPAT; USOCR	OR	ON	2006/03/09 15:43
516	0	jp-2004102204-\$.did.	US-PGPUB; USPAT; USOCR	OR	0N	2006/03/09 17:09
517	5	(("6211977") or ("6095652") or ("5999281") or ("5956106") or ("6926409")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 18:52
S18	3	(("5886819") or ("6124989") or ("6198555")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 18:52
519	4787	((359/13) or (359/15) or (359/28) or (359/449) or (359/451) or (359/462) or (359/466) or (359/599) or (353/7) or (353/94) or (353/98)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/14 17:38
520	126	S19 and ((imag\$4 or project\$4) with (display\$4 or system\$2)) and (diffus\$ with (hologra\$ or plate or element)) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 17:38
521	13	S19 and (diffus\$ near4 hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/14 18:38
522	24	S19 and diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	IBM_TD8 US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/09/14 17:38

523	207	S19 and diffus\$ and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 17:38
524	3	("20030137731" "5609939" "5790284").PN.	IBM_TDB US-P6PUB; USPAT; USOCR	OR	ON	2006/09/14 18:06
525	11	519 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4 and (viewer\$2 or observer\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 18:57
S26	12	S19 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 18:57
S27	13	519 and (diffus\$ near4 (hologra\$ or plat\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/09/14 18:58
S28	16	519 and (diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ОИ	2006/09/14 19:27
529	24	S19 and diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 19:18
530	59	S19 and diffus\$ and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and projec†\$4	: IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 19:18
531	36	(diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and (project\$4 same display\$4) and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	IBM_TDB US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT	OR	ON	2006/09/14 19:49

532	131	diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4 and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/14 19:50
533	5012	((359/13) or (359/15) or (359/28) or (359/449) or (359/451) or (359/462) or (359/466) or (359/599) or (353/7) or (353/94) or (353/98)).CCLS.	IBM_TDB US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/16 10:57
534	136		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:57
S35	15	S33 and (diffus\$ near4 hologra\$) and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/03/16 12:04
536	28	533 and diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel)	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/03/16 14:08
S37	228	S33 and diffus\$ and (concav\$ near4 (mirror\$2 or reflect\$4 or deflect\$4))	IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:58
			IBW_TDB			
538	11	533 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4 and (viewer\$2 or observer\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:58
			IBW_LDB			
539	12	S33 and (diffus\$ near4 (hologra\$ or plat\$2)) and (eyepiece near4 optic\$4) and project\$4	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 11:02
			IBW_LOB			
540	13	533 and (diffus\$ near4 (hologra\$ or plat\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	US-P6PUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:58
			IBW_TDB			

541	16	533 and (diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	US-PGPUB; USPAT; USOCR;	OR	ON	2007/03/16 10:58
			EPO; JPO; DERWENT ;			
	0.5		IBM_TDB		۵.,	
S42	25	\$33 and diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16
			IBM_TDB			
S43	61	S33 and diffus\$ and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and project\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:58
			IBM_TDB			
544	38	(diffus\$ near4 (hologra\$ or plat\$2 or element\$2)) and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and (project\$4 same display\$4) and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 10:58
			; IBM_TDB	:		
S45	138	diffus\$ and ((eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) near4 optic\$4) and project\$4 and ((viewer\$2 or observer\$2) with (two or pair\$2 or multipl\$2 or plural\$ or second))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ОИ	2007/03/16 10:58
			: IBM_TDB ~			
S46	3	("20030137731" "5609939" "5790284").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 11:30
S47	10	 ("3525807" "4322743" "4984871" "5589956" "5609939" "5790284" "6095652" "6266182" "6752498").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/16 12:10
S48	12	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and pupil\$2 and (project\$4 or view\$4 or display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 14:14
			IBM_TDB			
549	15	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (eyepiec\$2 or eye?piec\$2 or (eye near3 piec\$2)) and (project\$4 or view\$4 or display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 14:15
			; IBM_TDB			
S50	200	diffus\$ and (concav\$ with (mirror\$2 or reflect\$4 or deflect\$4) with fresnel) and (project\$4 or view\$4 or display\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/16 14:19
			IBM_TOB			